

Since 1977

catma
ARMS



Since 1977

catma
ARMS



ÇATMA SAVUNMA SANAYİ VE TİCARET LTD.ŞTİ.

Bayavşar Mah. 41956 Sokak No.7/2 Beyşehir OSB

Beyşehir - KONYA / TURKEY

Tel: 0332 514 81 00

www.catmaarms.com



catmasilah



catmarms



catmarms

Mesut Reklam

0.332. 512.23.75



www.catmaarms.com



Mr. Erol Catma who is a founder of our company started his business as a traditional single break action shotgun manufacturer in 1977 during which shotgun production was based on complete traditional hand afford and gunsmithing. Well, Mr. Catma continued his business line with traditional Over&Unders and Side by Side shotguns under the framework of "Uzumlu Hunting Shotgun Corporation" which he had joined as a shareholder to. After contributing to the success of the "Corporation" for about 15 years, Mr. Catma and his 7 partners decided to establish a privately owned "Zumrut Arms LLC" in order to widen their capability with a complete innovative line of "Gas Operated Semi Automatic Shoguns" in 1993. Well, after drawing a successful line of career in about 10 years, Zumrut Arms had to close its door to the market due to the National Economic Crisis and its effects over the shotgun industry in 2000. After a 15 years of break, Mr. Catma, then, decided to reestablish his own family company which combines a traditional shotgun gunsmithing with a state of the art technology in its 3000 square meter closed and 8000 square meter open facility located in Professionally Organized Industry Park of Beysehir in Konya in 2015. Our company vision is to widen our capability with a complete acceptance and full understanding of "Total Quality Management".

We export to 26 countries



505-ERD-COMBO

Adjustable Rib



505-ERD



***Adjustable Rib**
***Multifunctional, Ergonomic Trap Stock**

Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 71 - 76 - 81 cm/ 28 - 30 -32"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger/Ejector
 Barrel Material : Drilled from 4140 Steel
 Choke : Extended Choke
 Stock : Multifunctional, Ergonomic Trap Stock
 Weight : 4,20 kg Average

505-ET-COMBO

- *Ergonomic Grip
- *Adjustable Rib



Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 71 - 76 - 81 cm/ 28 - 30 -32"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger/Ejector
 Barrel Material : Drilled from 4140 Steel
 Choke : Extended Choke
 Stock : Adj. Comb, Ergonomic Grip
 Weigth : 3,60 kg Average

505-ED

- Ergonomic Grip



Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 71 - 76 - 81 cm/ 28 - 30 -32"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger/Ejector
 Barrel Material : Drilled from 4140 Steel
 Choke : Extended Choke
 Stock : Adj. Comb, Ergonomic Grip
 Weigth : 3,75 kg Average

505-TRP Black
Adjustable Comb



Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 71 - 76 - 81 cm/ 28 - 30 -32"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger/Ejector
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Turkish Walnut, Adj. comb
 Weigth : 3,60 kg Average

505-TRP
Adjustable Comb



Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 71 - 76 - 81 cm/ 28 - 30 -32"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger/Ejector
 Engraving : Handmade Engraving
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Turkish Walnut, Adj. comb
 Weigth : 3,60 kg Average

AL 505-NM / ST 505-NM



Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver(St505) : Hot forged Monoblock Steel / Ejector
 Receiver(AL505) : 7075 T6 Aluminium / Extractor
 Action : Single Selective Trigger
 Engraving : Laser Engraving
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 2,75 kg Average

505-SPT
 Sport Shotgun



Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : Hot forged Monoblock Steel
 Action : Single Selective Trigger / Ejector
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 3,70 kg Average



AL 520-W / ST 520-W

Gauge : 20 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76-81 cm
 18.5"/20"/21"/24"/26"/28"/30"/32"
 Receiver(ST520) : Hot Forged Monoblock Steel / Extractor
 Receiver(AL520) : 7075 T6 Aluminium / Extractor
 Action : Single Selective Trigger
 Engraving : Laser Engraving
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 2,70 kg / 3,50 kg Average

AL 528-W / ST 528-W

Gauge : 28 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76-81 cm
 18.5"/20"/21"/24"/26"/28"/30"/32"
 Receiver(ST528) : Hot Forged Monoblock Steel / Extractor
 Receiver(AL528) : 7075 T6 Aluminium / Extractor
 Action : Single Selective Trigger
 Engraving : Laser Engraving
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 2,20 kg / 3,00 kg Average

AL 536-W / ST 536-W

Gauge : .410 cal.
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76-81 cm
 18.5"/20"/21"/24"/26"/28"/30"/32"
 Receiver(ST536) : Hot Forged Monoblock Steel / Extractor
 Receiver(AL536) : 7075 T6 Aluminium / Extractor
 Action : Single Selective Trigger
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 2,40 kg / 2,75 kg Average



ST 505-GR

Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger / Ejector
 Engraving : Handmade Engraving
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 3,70 kg Average

ST 505-AGR

Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger / Ejector
 Engraving : Acid Engraving
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 3,70 kg Average

ST 506-AGR

Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : Hot Forged Monoblock Steel
 Action : Single Selective Trigger / Ejector
 Engraving : Acid Engraving
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 3,70 kg Average

505-SLUG



Gauge : 12 GA
 Chamber : 89 mm/3,5"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : Hot forged Monoblock Steel
 Action : Single Selective Trigger / Ejector
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Synthetic
 Weigth : 2,75 kg Average

505-Camo



Gauge : 12 GA
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76-81 cm
 18.5"/20"/21"/24"/26"/28"/30"/32"
 Receiver : Hot forged Monoblock Steel
 Action : Single Selective Trigger / Ejector
 Barrel Material : Drilled from 4140 Steel
 Choke : Mobile Choke
 Stock : Synthetic
 Weigth : 2,75 kg Average

MF12-B1



Gauge : 12 GA
 Chamber : 76 mm/3"
 Action : Gas Operated
 Barrel Length : 41- 47 cm / 16"-18,5"
 Receiver : 7075 T6 Hardened Aluminum
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 10+1
 Choke : Muzzle brake
 Stock : Adjustable Tactical
 Weigth : 3,80 kg Average

MF12-C2



Gauge : 12 GA
 Chamber : 76 mm/3"
 Action : Gas Operated
 Barrel Length : 41- 47 cm / 16"-18,5"
 Receiver : 7075 T6 Hardened Aluminum
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 10+1
 Choke : Muzzle brake
 Stock : Adjustable Tactical
 Weigth : 3,80 kg Average

MF12-C1



Gauge : 12 GA
 Chamber : 76 mm/3"
 Action : Gas Operated
 Barrel Length : 41- 47 cm / 16"-18,5"
 Receiver : 7075 T6 Hardened Aluminum
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 10+1
 Choke : Muzzle brake
 Stock : Adjustable Tactical
 Weigth : 3,80 kg Average

MF12-C3



Gauge : 12 GA
 Chamber : 76 mm/3"
 Action : Gas Operated
 Barrel Length : 41- 47 cm / 16"-18,5"
 Receiver : 7075 T6 Hardened Aluminum
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 10+1
 Choke : Muzzle brake
 Stock : Adjustable Tactical
 Weigth : 3,80 kg Average

MF11-SD



Gauge : 12 GA
 Chamber : 76 mm/3"
 Action : Gas Operated
 Barrel Length : 41- 47 cm / 16"-18,5"
 Receiver : Upper:7075 T6 Hardened Aluminum
 Bottom: Synthetic
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 10+1
 Choke : Muzzle brake
 Stock : Tactical fixed
 Weigth : 3,75 kg Average

MF07



MF07-B1

MF07-C1

Gauge : 12 GA
 Action : Gas operated
 Chamber : 76 mm/3"
 Barrel Length : 23 cm / 9"
 Receiver : 7075 T6 Aluminium
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 10+1
 Choke : Muzzle brake
 Stock : Adjustable Tactical
 Weigth : 3,25 kg Average

S 501-B



Gauge : 12 GA
 Action : Gas operated
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : 7075 T6 Aluminium
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1
 Choke : Mobile Choke
 Stock : Quality Turkish Walnut
 Weigth : 3,10 kg Average

S 501-SYN



Gauge : 12 GA
 Action : Gas operated
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : 7075 T6 Aluminium
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1
 Choke : Mobile Choke
 Stock : Synthetic
 Weigth : 3,10 kg Average

S 501-C1



Gauge : 12 GA
 Action : Gas operated
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : 7075 T6 Aluminium
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1
 Choke : Mobile Choke
 Stock : Synthetic
 Weigth : 3,10 kg Average

PP 503-S7



Gauge : 12 GA
 Action : Pump-Action
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : 7075 T6 Hardened Aluminium
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 7+1
 Choke : Fixed or Mobile Choke options
 Stock : Fixed or Tactical
 Weigth : 3 kg Average

PP 503-S4



Gauge : 12 GA
 Action : Pump-Action
 Chamber : 76 mm/3"
 Barrel Length : 34-37-41 cm
 13.5"/14.5"/16"
 Receiver : 7075 T6 Aluminium
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 4+1
 Choke : Fixed Choke
 Stock : Pistol Grip
 Weigth : 3 kg Average

PP 503-MR



Gauge : 12 GA
 Action : Pump-Action
 Chamber : 76 mm/3"
 Barrel Length : 47-51-55-61-66-71-76 cm
 18.5"/20"/21"/24"/26"/28"/30"
 Receiver : 7075 T6 Hardened Aluminium, Marine coating
 Barrel Material : Marine-Drilled from 4140 Steel
 Magazine Cap. : 5+1 / 7+1
 Choke : Cylinder Choke
 Stock : Synthetic
 Weigth : 2,75 kg Average

PP 503-S5



Gauge : 12 GA
 Action : Pump-Action
 Chamber : 76 mm/3"
 Barrel Length : 34-37-41 cm
 13.5"/14.5"/16"
 Receiver : 7075 T6 Aluminium
 Barrel Material : Drilled from 4140 Steel
 Magazine Cap. : 4+1
 Choke : Fixed Choke
 Stock : Pistol Grip
 Weigth : 3 kg Average